



**S T A K K I**

O A K F L O O R


— SINCE 1996 —



PRODUCT CATALOG



STAKI  
OAK FLOOR



**Welcome to STAKI**, a well-established, family-owned business that prides itself on producing high-quality wood flooring. We place great importance on eco-friendliness and use green energy and LED finishes in our manufacturing processes. With the second generation now leading the company, we bring fresh perspectives and innovative ideas to the table.

**We offer a wide range of hardwood flooring products**, including oak and elm engineered floors, oak solid floors, and eco-friendly flooring. Our products are always up-to-date with the latest trends and colors, thanks to our collaborations with top interior designers.

**STAKI is committed to ensuring customer satisfaction**, we provide exceptional service and high-quality products to suit every taste and budget. With the help of professional floor installers and maintenance experts, we guarantee that your flooring will always look as good as new.

#### Family Running Business

- Since 1996 - 2nd Generation in Progress
- Everything from logs we produce
- Solid and Engineered Floors with European Oak
- Sales of Oak material boards

#### STAKI Sustainability

- Sustainable - No Waste from the beginning of Logs
- Eco-friendly – LED finish Advantage of Longevity and 0 Emission
- Quality over Quantity

#### Family-like Partnerships

- Focus on Long Lasting Partnerships
- Distribution Centers in BL, NL, FR and UK
- Exporting to More than 20 Countries Around the World

**STAKI's Values and Vision.** At STAKI, we are proud of our values and vision, which aim to provide only the best quality oak flooring while promoting social responsibility and contributing to society's growth and prosperity. Our natural wood floors are the perfect choice for anyone looking for a long-lasting and beautiful investment.

*Choose your dream floors with Staki, where luxury and quality meet to create exceptional results.*



LED lights have a much smaller ecological footprint than UV lights. They contain no mercury, emit no unpleasant odour, and there is no ozone emission.



After the wood has been treated with LED oil it can be cured instantly with LED light. The wood can be walked on or packaged immediately after treatment.



The natural look and feel of the wood remains guaranteed. Unlike other finishing methods, no film is applied to the wood so you can always see the wood structure.



LED Oil is suitable for the protection and colouring of almost all wood types.



Water resistant surface after six hours



LED Oil creates a durable, long lasting protection.



Solvent free oil is used for LED finishing



Surfaces treated with LED Oil are very easy to maintain or renovate.




**STAKI**  
OAK FLOOR

**LED Curing Oil Technology is a revolutionary breakthrough** in the coating industry, boasting a myriad of exceptional benefits, not least of which is its remarkable environmental friendliness. Unlike UV lights, it emits no mercury or ozone and leaves a smaller ecological footprint. Plus, it has no unpleasant odor and can be used safely in any setting.

**Elevate your surfaces to new heights of elegance and durability with LED Oil.** The technology is incredibly durable, providing surfaces with long-lasting protection against scratches. It's been expertly designed to deliver a high-class coating system that requires no additional maintenance after installation. With LED oil technology, coated surfaces are instantly ready for use, ensuring a seamless experience.

**LED Oil is a remarkably versatile solution** for protecting and coloring almost any type of wood, making it the go-to choice for discerning customers. Its exceptional durability provides long-lasting protection, while its solvent-free oil ensures a safer and more eco-friendly alternative to other finishing methods. With LED Oil, you can enjoy a luxurious and uncomplicated finishing experience, knowing that your valuable wood is in good hands.

**Boasting a remarkable ease of maintenance and renovation**, this exceptional solution offers a cost-effective option for those seeking a long-lasting finish. With LED Oil, you can rest assured that your surfaces will retain their pristine appearance and superior performance for years to come, providing you with a hassle-free experience that exceeds your expectations.





An engineered wood floor is a superb alternative to solid wood, providing a hard-wearing finish without compromising on aesthetics - but it's not necessarily a cheaper alternative. There are several benefits to using engineered wood, such as a greater choice of finishes, and long-lasting durability.



Glued  
down



Nailed-down  
heating



Oiled




Matt  
lacquered



Underfloor  
heating



European  
Oak



**STAKI**  
OAK FLOOR

<b>Construction</b>	2-ply engineered parquet
<b>Top layer</b>	European Oak
<b>Bottom layer</b>	EU multiplywood
<b>Pattern</b>	1-strip
<b>Wear layer</b>	approx. 4,00 mm / 6,00 mm
<b>Thickness</b>	approx. 15,50 mm / 20,00 mm (5/8" and 3/4")
<b>Width</b>	180 mm, 220 mm (7.1" / 8.66")
<b>Lengths</b>	2000/ 2200/ 2400 mm, ±25% (600/ 900/ 1200 mm) 78.75" / 86.6" / 94.5", ±25% (23.6" / 35.43" / 47.25")
<b>Connection/installation</b>	Tongue and groove, must be glued over the entire surface
<b>Edge profile</b>	2-side bevelled
<b>Grading</b>	Select, Nature, Rustic B
<b>Renovation</b>	can be sanded several times
<b>Suitability for underfloor heating/cooling</b>	Yes
<b>Thermal resistance</b>	0.09 m <sup>2</sup> K/W
<b>Type of finishing</b>	unfinished, oiled, lacquered, brushed, smoked, aged

**On special request available:** 15,5/4 x 160/ 240/ 260 x 2000/ 2200/ 2400 mm  
(5/8" x 6.3" / 9,5" / 10,23" x 78.75" / 86.6" / 94.5")



# GRADING



**S T A K I**  
O A K F L O O R

## SELECT

Select grade typically contains small knots that are 8-10 mm in size, while maintaining a consistent color and grain pattern throughout the entire plank with minimal variation in shade or tone. This makes it an excellent choice for creating a modern and sophisticated interior design.



## NATURE

Nature grade is a beauty and natural charm of wood. This classic grade contains knots ranging from 25 mm to 45 mm which add light character to the wood. Additionally, Nature grade may showcase heartwood with subtle colour variations, as well as natural cracks at the ends and white spots, all of which are allowed and contribute to its natural appearance.



## RUSTIC B

Rustic B grade boasts an expressive and intensive appearance that truly showcases the depth character of the wood. This grade features larger knots of up to 80 mm, with heartwood, color variation in timber, and white spots all contributing to its authentic and rustic appeal.



# CHEVRON & HERRINGBONE GRADING

---

## SELECT

---



Select grade features a consistent color and grain pattern, with minimal variation between planks, making it a perfect choice for creating a sophisticated and modern interior design. Small pin knots up to 8 mm may appear.

---

## RUSTIC

---



Rustic grade allows a wider range of natural imperfections, such as knots (up to 30 mm), grain variation, and mineral streaks, which add to its Rustic appeal. This grade creates a warm and inviting atmosphere in any space.

# CHEVRON

<b>Construction</b>	2-ply engineered parquet
<b>Top layer</b>	European Oak
<b>Bottom layer</b>	EU multiplywood
<b>Pattern</b>	45° Chevron
<b>Wear layer</b>	approx. 4,00 mm
<b>Thickness</b>	approx. 15,50 mm / 5/8"
<b>Width</b>	120 mm / 4.72"
<b>Length</b>	600 mm / 23.6"
<b>Connection/installation</b>	Tongue and groove, must be glued over the entire surface
<b>Edge profile</b>	4-side bevelled
<b>Grading</b>	Select, Rustic
<b>Renovation</b>	can be sanded several times
<b>Suitability for underfloor heating/cooling</b>	Yes
<b>Thermal resistance</b>	0.09 m <sup>2</sup> K/W
<b>Type of finishing</b>	unfinished, oiled, lacquered, brushed, smoked, aged



**S T A K I**  
OAK FLOOR



# HERRINGBONE

<b>Construction</b>	2-ply engineered parquet
<b>Top layer</b>	European Oak
<b>Bottom layer</b>	EU multiplywood
<b>Pattern</b>	90° Herringbone
<b>Wear layer</b>	approx. 4,00 mm
<b>Thickness</b>	approx. 15,50 mm / 5/8"
<b>Width</b>	120 mm / 4.72"
<b>Length</b>	600 mm / 23.6"
<b>Connection/installation</b>	Tongue and groove, must be glued over the entire surface
<b>Edge profile</b>	4-side bevelled
<b>Grading</b>	Select, Rustic
<b>Renovation</b>	can be sanded several times
<b>Suitability for underfloor heating/cooling</b>	Yes
<b>Thermal resistance</b>	0.09 m <sup>2</sup> K/W
<b>Type of finishing</b>	unfinished, oiled, lacquered, brushed, smoked, aged



**STAKI**  
OAK FLOOR



# COLORS



Extra white oil



White intense oil, brushed



Extra white oil, brushed



Rime oil



Light white oil



Blanc white oil, brushed



Blanc white oil



Antique white

# COLORS



Silver grey oil, brushed



Asphalt grey oil



Basalt, brushed



Autumn oil



Tobacco oil



Vinted oil, brushed



Grey stone oil



Concreto oil, brushed

# COLORS



Raw oil



Light oak oil, brushed



Invisible oil



Ivory lacquer



Dark oak oil, brushed



Clear oil



Amber oil, brushed



Rosewood oil

# COLORS



Clear lacquer



Oak oil, brushed



Truffle oil



Castle brown oil, brushed



Cognac lacquer



Cuba lacquered




Walnut oil, brushed



Ebony oil, brushed

**CAN'T DECIDE WHICH ONE?**  
VISUALIZE IT WITH STAKI GALLERY!



*Give it a try!*





S T A K I

O A K F L O O R

— SINCE 1996 —

STAKI oak floor factory

Plankmara JSC  
Taikos street 78,  
Uzusaliai village,  
Jonava district  
LT-55333 Lithuania

Tel.: +370 37 541 303

E-mails: [info@staki.lt](mailto:info@staki.lt)

[www.staki.lt](http://www.staki.lt)